

**Technical data sheet HUM63**

Specification HUB media board low, media board with dec. stitch

Dimensions in mm

Total:	H:	1500
	W (no ArmR):	1100
	D:	520

Packaging data	Weight:	kg
	Volume:	m <sup>3</sup>



**Basic equipment**

**Benefit**

Frame	Aluminium profile frame, 1100 x 1500 x 55 mm (W x H x D), in black or white.	Attractive look.
Cover	Covered with laminated fabric on both sides, decorative seams on one side. Brown leather strap.	Attractive look.
Cover materials	Various fabric qualities in various colours.	Individual design.
Metal parts	Legs made from sturdy high-pressure die cast aluminium, powder-coated in black or white.	Optimum stability.
Castors	Lockable double castors in black or white.	Mobile while retaining firm contact with the floor.
Inlay	Cover inlaid in aluminium leg. Plastic inlay in same colour as frame (black or white).	
Cable duct	Anthracite-coloured cable duct made from non-woven material at the rear with vertical opening above zip.	Suitable for storing mini PCs, playback devices, etc.
Screen mount	Universal screen mount, recommended for screens up to 46".	
Power supply	Power and data connection at front (type F, HDMI & USB), five sockets integrated in cable duct.	
Materials used	All materials are unmixed and recyclable.	Environmentally friendly.
Standards	GS-symbol for tested safety. Tested for absence of harmful substances.	High level of safety.

**Technical data sheet HUM63**

Specification HUB media board low, media board with dec. stitch

Dimensions in mm

Total:	H:	1500
	W (no ArmR):	1100
	D:	520

Packaging data	Weight:	kg
	Volume:	m <sup>3</sup>



Certification

Quality management system DIN EN ISO 9001:2015, Regulation (EC) no. 1221/2009 (EMAS), Environmental Management System DIN EN ISO 14001:2015, Occupational Health and Safety Management System ISO 45001:2018, EcoVadis Gold.

High-quality product.

Warranty and returns

10 year warranty according to our current warranty conditions.

Quality guaranteed to last for entire product life.

Disassembly instructions are available upon request for any interstuhl product

**Technical data sheet HUM63**

Specification HUB media board low, media board with dec. stitch

Dimensions in mm

Total:	H:	1500
	W (no ArmR):	1100
	D:	520

Packaging data	Weight:	kg
	Volume:	m <sup>3</sup>



**Options**

**Benefit**

Covered inlay	With fabric, same as screen cover.	Visual highlight.
---------------	------------------------------------	-------------------

Disassembly instructions are available upon request for any interstuhl product